


Digitized by the Internet Archive in 2011 with funding from Open Knowledge Commons and Harvard Medical School









A

## NARRATIVE

OF THE

LAST ILLNESS

OF THE

RIGHT HONOURABLE

THE

EARL of ORFORD.

7 ...

Y 1 Z A 3/ R U, M.

# MARKATI

51741, The BAL

## NARRATIVE

OF THE

### LASTILLNESS

OF THE

RIGHT HONOURABLE

THE

### EARL OF ORFORD:

From May 1744, to the Day of his Decease, March the Eighteenth following.

### By JOHN RANBY,

Principal SERJEANT SURGEON to His MAJESTY, and F. R. S.

#### LONDON:

Printed for John and Paul Knapron, in Ludgate Street. M.DCC.XLV.
(Price One Shilling.)

# 

, se backy way in Albania Shi

# 

A first factors of the control of th

(Table 1 & 5 7)

# PREFACE.

TULFILLING the Will of the Dead was ever, even amongst the most uncivilized Nations, esteemed an indispensable Obligation, and a Sort of a facred Duty. And a Man, that could transgress in this essential Point, was look'd upon as capable of violating his Father's Ashes, and committing the most execrable Enormity. 'Tis in Consequence of a folemn Injunction of this Nature, that I have penned the following Narrative; the illustrious Personage, who is the melancholy Subject of it, having, in his ebbing ) . A

### The PREFACE.

ing Moments, recommended to me in the most affecting Manner this peculiar Province of exploring, by Dissection, the Seat, and, of course, the Cause of his Disorder, and of communicating to the World a faithful Relation of all the Circumstances: Desirous, from his innate Love to Mankind, when he could survive no longer to profit them, of being the Means of conveying what Good he could to them after his Death; according to that of the Poet,

Hæc etiam Cura Cadentis erat.
Ovid.

WHEN I recollect his refigned Behaviour under the most exeruciating

### The PREFACE.

ating Pains, the magnanimous Sentiments which filled his Soul, when on the Eve, feemingly, of Diffolution, and call to Mind the exalted Expressions, that were continually flowing from him at this severe Time of Trial: However extraordinary his natural Talents, or acquired Abilities were; however he had distinguished himself by his Eloquence in the Senate, or by his fingular Judgment, and Depth of Penetration, in Councils; this incomparable Constancy, and astonishing Firmness of Mind, must raile, in my Opinion, as sublime Ideas of him, as any Act of his Life befides, however good and popular; and reflect a Renown on his Name equal to that, which

### The PREFACE.

confecrates the Memory of the most remarkable Sages of Antiquity.

THE subsequent Pages will be restrained to the Giving merely an Historical Detail, and Exhibiting pure Matter of Fact: It being neither my Inclination, nor any Part of the Task assign'd me in this Assign, to make the least Comment, or Animadversion, whatsoever.





C 3 6 6 6 6 8 8 8 8 8

2.00

9. . . .

A

## NARRATIVE

OF THE

### LAST ILLNESS

OF THE

RIGHT HONOURABLE

THE

### EARL of ORFORD.

was last Spring attack'd by an Intermitting Fever; on which Occasion he took the Bark, by the Advice of Sir Edward Hulse, with very good Effect, B and

and retired for a short Time to Richmond Park. Awaking one Day from his accustomed Hour's Sleep after Dinner, he was feized with great Pain in the Head, and Giddiness, violentSickness at the Stomach, a frequent Inclination to Vomit, intenfe Pain in his Back, and made Coffeecolour'd Water. On his Arrival in Town his Disorder was judged by his Physician to be a Return of his Intermitting Fever, attended with some Nephritic Symptoms: so that the Bark was prescribed him, and at the fame time Regard had to his Nephritic Complaints. these Symptoms not yielding to this Method, and, his Pulse being hard and full, he was bled in the Arm even to a third Time, e'er the Com-

Complaints in the Head ceased, or the concreted Matter had work'd its painful Passage into the Bladder. The immediate Ease procured to his Lordship, with the Disappearance of the Coffee-colour'd-Water, was a plain Indication of that Event. Every Time he now made Water, he expected to difcharge what was thus descended into the Bladder. But, as those Expectations were entirely fruitless, a Doubt began to prevail, whether it were any thing more, than a gravelly Affair, accompanied with fome Symptoms, produced by the Intermitting Fever. After these Evacuations by Bleeding, he return'd to the Use of the Bark; which, in different Forms, he con-B 2 tinued

tinued at least for fix Months. The Duration of this Paroxysm subsisted, I think, about ten Days; and determined him to confine himfelf at Home for a Month or more to a close Retirement: Using a plain Diet all that Interval, and being fo abstemious in respect of Wine, that he drank nothing but a little Sack. The first Visit he made, after this Shock, was in an extreamly easy Chariot. As he went into the House, he felt an unusual Irritation to make Water. The Urine discharged on this Occasion was tinged with Blood. But, after resting there some Hours, that Appearance vanish'd; though it shewed itself again on his Return Home, with the former preter-natural Irritation.

ritation. He passed a few Days then in absolute Rest: But, on taking a turn again in his Chariot, the Symptoms, even from that little Motion, were renew'd. During this whole Space no Pain affected the Back. As I saw his Lordship often, I told him what I thought without any Reserve; namely, that the bloody Urine, and frequent Provocation to make Water (very troublesom, at least, though not attended with much Pain) were owing to the Stone, which had passed from the Kidneys to the Bladder, in the late Nephritic Fit. But, as the Blood, that came away, was judged absolutely by his Physician to proceed from the Kid-

neys,

neys, this Symptom was deem'd fo no material Confequence.

My Lord now thought of going into Norfolk. I confess, for my own Part, I did not imagine fuch a Journey practicable for him without the Conveniency of a Horfe-Litter. However, he undertook it the Beginning of July: Having first determined upon entring on a foft, lubricating, Regimen, and, amongst other Things, on Drinking a Tea made with the Ingredients for the Syrup of Marsh-Mallows twice a Day. The Symptom of Bleeding, which was wont to return on Motion in Town, gave him no Molestation whatever on the Road. On his Arrival in the Country,

Country, he kept himself as quiet as he possibly could: And, whenever he indulged the taking a little Air, 'twas always with the Precaution of not moving off the Turf, but of keeping still within his own Park. The first Excursion he made was a Vifit at about fix Miles Diftance from Houghton. Notwithstanding the Evenness of the Way, the bloody Urine return'd, and that with greater Violence, than it had hitherto done, together with the former frequent Irritation to make Water; which, indeed, he was never long free from, during the whole Course of his Illness. However, on Rest, and taking Manna with Cream of Tartar-Whey, those Symptoms once more difdisappear'd. Matters being thus circumstanced, he hardly, now, ever stirred abroad. A Relapse was still consequent to Motion, which Rest as naturally seldom fail'd to remedy: I say seldom fail'd; because he sometimes voided Blood, notwithstanding all the Rest imaginable.

In November last his Lordship repair'd again to Town: And, though his Physician in the Country, Dr. Hepburn, had very judiciously put him on drinking freely of an Emulsion pretty well impregnated with Gum Arabic, and had injoin'd plentiful Dilution, the Journey (four Days in performing) was nevertheless extreamly painful to him.

him. The Discharges from the Bladder were often attended with fo great an Effusion of Blood, that they could not with any Justice lay Claim to the Name of Urine. The irksom Sensation at the End of the Penis was now more frequent, with an additional Pain in going to Stool. The Description he gave of his last Day's Travel, though of but twenty Miles, was enough to fill one's Mind with Horror: being obliged to alight from his Chariot at least twenty times, and every time fubjected to a Discharge of almost pure Blood, with most excessive Pain. Arrived in Town, and being at rest a Day or two, the Bleeding left him, but not the uneafy Senfation at the Extremity of the Penis: Sir

Edward

Edward Hulse, being called the next Morning to his Affistance, was apprized of these preceding Circumstances by his Lordship's own Relation of them: who, (though my Lord had labour'd under no Return of any Nephritic Paroxysm, but only, to use his own Expresfion, complain'd of having felt at Times a Grumbling in his Kidneys, which he thought not material) was of Opinion, that the Seat of the whole Disorder was in the Kidneys; infomuch as the Bladder, being furnished with but few Blood-Veffels, could not supply any great Quantity of Blood; and, befides, that almost all Discharges of Blood through the *Urethra* proceeded from the Kidneys. It was a Concern to me,

Many and the second

me, that I could not help differing in Opinion from a Physician of so great Experience, as I was fufficiently convinced, that the Stone in the Bladder was the fole Caufe of all this Tragedy: The first Action of which ought to be dated from the violent Nephritic Attack the preceding May; there having been no Complaint in my Lord of that Nature for ten Years before, A foft and diluting Method was now again prescribed, and pursued by his Lordship from the twenty-third of November, the Day of his Arrival in Town, to the fifteenth of December, the Time Dr. Jurin first visited him. During this Space, he had two Returns of Bloody  $C_{2}$ Urine.

Urine, though he did not stir from Home but twice, and that but a very little way, in a Chair.

Dr. Jurin being now confulted jointly with Sir Edward Hulse, Searching was proposed: but, as Dr. Jurin was convinced, there was a Stone in the Bladder, (though he thought the Kidneys might, perhaps, in fome degree, be also affected) and his Lordship at the same Time fixed in a Resolution not to be Cut, all Thoughts of it for the present were laid aside: especially, as such an Attempt could not fail of encreasing an Irritation, which was already become abundantly too troublesom. A Draught therefore was prescribed, composed

of fix Ounces of Pectoral Decoction without the Herbs, an Ounce of Syrup of Marsh-Mallows, two Drachms of Spirit of Mint, and a Drachm of Dr. Jurin's Lixivium Lithontripticum. This was directed to be given three times a Day; and the Dose of the Lithontriptic Lixivium gradually encreased to almost a triple Quantity. After some Time he took the Lixivium at his -Meals in fmall Beer, in which was a Glass of Sack. So that from the fifteenth of December, to the fourth of February following, my Lord had taken fix and thirty Ounces of this Lixivium. Bloody Urine during this Period renewed the Alarm feveral times. On the ninth of Fanuary particularly he had a more

more than ordinary Flux of Blood, attended with greater Pain, than he had ever yet felt, at the End of the Penis. Clysters were frequently injected; but these proved of very little Advantage: Inafmuch as he could not retain the smallest Quantity of Remedies of that Nature through the whole Course of his long Illness. In the Evening he voided as much gritty Matter, as would cover a Shilling, of the colour of common House-Sand, and looking as if wrought together with Gum-Water. Tolerable Ease succeeded this gravelly Discharge: Nor was the following Night pass'd without pretty good Rest, though partly procured by the Help of an Opiate.

THE

THE ensuing Journal was kept with all imaginable Exactness by one of his own Sons, as well as by myself.

Sunday Evening, February 3. My Lord voided bloody Urine feveral Times. He had in the Night frequent provocations to make Water. About nine on Monday Morning he discharged a great Quantity of Blood. Before eleven a small Stone came away; and soon after he complain'd of an intolerable Pain in the Penis. Mr. Ranby, after examining the Part, extracted from the Urethra a Stone exceeding the Dimensions of the largest Kidney-Bean. About one he felt a strong Irritation

Irritation to make Water; which was follow'd by a large Discharge of Blood, a good deal of it coagulated: In which were found eleven Pieces of Stones, fome of them fmooth and rounded on one fide, and fcraggy on the other; fome sharp and pointed on all fides, as having been inner Parts; but not one of these, that did not evidently appear to have been a Part of fome larger Stone. These Fragments were whitish; but, in the Stones which were entire, the Parts in their Joinings were streak'd with Yellow Veins, refembling in some measure Mosaic Pavement. Ten, or twelve, of these had very probably been cluster'd together (with a Nucleus apparently within) fomething

thing like a large Grape-Stone. The Urine, though still bloody, grew gradually less and less discolour'd till three; when it was not in the least distain'd. A little after three, there issued a great Quantity of Blood, which brought along with it two Pieces of Stone of a larger Size, than most of the former. He again voided more Blood, and that in still greater Quantity, and faid he felt more Stone had forced its Passage. But there was such an extraordinary Coagulation of the Blood discharged, that there could not be discover'd any concreted Substance, till the Coagulum had been diffolved in a large Bason of Water: when about fifteen Pieces presented themselves; one of which was a Stone,

Stone, near entire, and almost as big as the great one in the Morning, but flatter; another, more than half as big, a Piece of which had been broken off. This Stone, on Examination, was found compacted of three, very flightly cemented together; being unable, feemingly, to bear even the least Touch without danger of falling afunder. My Lord continued voiding Blood perpetually, from nine in the Morning till fix in the Evening. After taking a little Soup, and drinking a Pint of Table-Beer, and a large Glass of Sack and Water, Dr. Jurin order'd him a Clyster: But, before That arrived, he had two Stools, between which was given him an Opiate. The Blood still coming

coming away incessantly, Recourse was had to Styptic Draughts, in each of which was half a Drachm of the Bark; and about half an Hour after eight the Flux began to abate. He complain'd much of being griped. About nine the Blood stopp'd, and his Complaint turn'd to the Strangury. He grew fick at his Stomach, and endeavour'd to vomit, but could not. Before eleven his Bleeding return'd. Sir Edward Hulse and Dr. Jurin gave him twelve Drops of Liquid Laudanum in Wine and Water warm: Which, together with what he had taken in the Opiate and Styptic Draughts, amounted to fifty Drops. His right Hand was quite cold and clammy, his Pulse finking every D 2 Minute.

Minute, and the Tendons leaping. He complain'd of great Pain at the Bottom of his Belly, and that his Feet were numb'd. His Thighs and his other Hand grew cold. They gave him the Bark, accompanied with a few Drops of Laudanum: And from one till two he voided no Blood, but could not fleep. Between three and four he flept for about a quarter of an Hour. Sir Edward Hulse thought his left Hand warm again, and his Thighs warmer. He continued to discharge almost pure Blood, though not fo profusely. Between fix and feven he flept three quarters of an Hour, and then waked with a total Cessation of his Pain; but, with a Pulse, **fcarcely** 

fearcely perceptible, immediately grew fick, and brought up all his Bark: Of which he had taken feven Drachms in the space of fix Hours. Mr. Ranby and Mr. Graham, from this fudden Transition from great. Pain to absolute Ease, were apprehenfive of a Mortification of the Parts. He continued in this way till nine. Cordials were prescribed him; but he remain'd all Tuesday with little or no Alteration. The following Night he flept fix Hours in all, at three feveral Times; taking the Tincture of the Bark, and Broth, at the Intervals. At nine o'Clock on Wednesday Morning his Hands were grown quite warm, though his Pulse was low. About ten at Night he discharged a small matter of

of Blood. After that he was left to his Repose, and slept till two in the Morning; when his Bleeding return'd with Violence, and interrupted his Rest till eight o'Clock; by which Time it was confiderably leffen'd. His Pulse was strong, but subject to frequent Changes and Intermissions: Which, indeed, was generally the Case. He complain'd of an Uneafiness in his right Kidney, which was but of short Duration; and, about twelve, the Urine was like the Grounds of Coffee. They then gave him an oily Clyster to empty his Bowels, and to prevent the Bark from making him fick; which he began to be afraid of, and on that Account did not care to take it any longer

longer in Substance: For which Reason a good strong Tincture of it was substituted in its room. He grew now exceedingly drowfy, and was ever defirous of being left to fleep, as foon as he had taken his Medicines, or Broth. Great Quantities of Urine were involuntarily discharged, with scarce any Tincture of Blood: And Sir Edward Hulse was persuaded, that the Bleeding had proceeded from the Kidneys; and that, when my Lord made the Coffee-colour'd-Water, the imagined Obstruction was removed. They now order'd him the Extract of the Bark, instead of the Tincture; and, at eight in the Evening, another Clyster: Which, as well as the former, came away

immediately without Effect. His Spirits sunk extremely after this; but he rested pretty well till two in the Morning: When his Bleeding came upon him again very violently, as it had done the Night before at the same Hour. At three he took eighteen Drops of Laudanum, but got no Rest till six.

Friday 8. This Morning his Spirits were raifed with the Opiate, and his Pulse was good; but, having had no Stool since Monday, they gave him a Suppository at eleven; and, instead of the Extract of the Bark, he took forty Grains of the Substance in the Tincture, with five Grains of Rhubarb, every three Hours. Between one and two he

he had a Stool, and another about fix: By which means he was much refresh'd, and continued in great Spirits till ten or eleven, when he began to be once more very low and depress'd. At half an Hour after eleven he fell into his Bleeding again, and continued altogether restless with a high Pulse till two, when Sir Edward Hulse gave him a Dose of Laudanum, as he had done the Night before: And when that began to take Effect, the Bleeding went off, and he got some Rest.

Saturday 9. This Morning he was much better; tho' his Pulse was harder. The Physicians, on finding the Bark had not succeeded in E regard

regard of stopping the Bleeding, added ten Drops of the Royal Stiptic to each of his Draughts. was in good Spirits this whole Day. About ten at Night his Pulse rose, and, fome Drops of Blood coming from him, he was bled eight Ounces in the Arm; which relieved that Symptom. The Bark was now laid afide; and this Night he took two oily Draughts, voiding no Blood. In the Morning his Pulse was extremely low, and he complain'd of great Sickness in his Stomach; and, about half an Hour after, had some Return of his Bleeding; as he had again at three. All this Day he took no Medicines, was very thirsty, and perpetually dofing. His Pulse was rather better, than the preceding Days, but his Tongue more brown, and dry. His Urine continued Dripping from him, always leaving a brown Coffee-colour'd Stain in the middle of the Napkin. At eight, by the Advice of the Physicians, he took half a Pint of purging Water, and afterwards rested well.

On the eleventh Dr. Crowe was call'd in: Who, from a Relation of the Case, was strong in Opinion, that all these Stones, coagulated Blood, &c. descended directly from the Kidneys, though there had been no Nephritic Complaint of late: And that he had several Times known collected Matter of this Nature to plug up the Kidneys;

which at length had pass'd with very little Pain: It being, in reality, his Sentiment, that all Discharges of Blood flow'd, not from the Bladder, but entirely from the Kidneys.

Ar eight this Evening, Sir Edward Hulse and Dr. Jurin being present, Mr. Ranby, with his Hands, press'd the Bottom of his Belly; and the Water gush'd out, of a perfect deep Coffee-colour. They now concluded his Bladder was fill'd with coagulated Blood, and so much distended, that it had lost its Tone. Mr Ranby proposed laying on Bladders filled with warm Water, in order to try, by an Application of that Sort, to dissolve, if possible, the Coagulum: But the Physicians

ficians fear'd fuch an Expedient would fet him o'bleeding afresh. However, one was ordered to be applied, in case the old Complaint at the End of the Penis, or Neck of the Bladder, should return in the Night: Which was accordingly done, but, causing an Uneasiness, was soon removed.

On Tuesday, the twelfth, he slept very little all Day, and at Night grew more uneasy, and very much affected in his Head. His Pulse was low, and sluctuating, and his Memory deficient. He complain'd of great Numbness all over, and frequent Twitchings. He would fain have taken another Opiate: But Mr. Ranby, finding him so much dis-

disorder'd, would not venture to give it him.

Wednesday 13, The Physicians came, but declined putting up the Catheter, (which they had proposed the Day before) for fear of doing a farther Injury to Parts, already too much hurt: And therefore only directed his Bladder to be often press'd with the Hand. He was now rather weaker, and at Night again disturb'd in his Head, though he had taken no Laudanum. an Hour and a half's Sleep, he awaked with his Head guite clear: Rested well afterwards, a great deal of the dark Water having dripp'd from him, in which were feveral fmall Clots of grumous Blood.

Thurs-

Thursday 14, This Morning he was perfectly in his Senses; but his Tongue was rather more dry, though his Pulse was very good. At Night he rested ill, and complain'd of Pains about his Bladder; which they thought proceeded from the Decrease of the coagulated Blood in it, which came away more and more.

Friday 15, The Physicians again prescribed him the Extract of the Bark twice a Day, in order to restore the Bladder to its proper Tone.

Saturday 16, He rose about eleven. His Water grew clearer, and his Tongue moistish, with less BrownBrownness remaining. He complain'd of colicky Pains, and at Night had a loose Stool. His Senses and Memory were now entirely perfect. In the Night, he was sick, vomited, and rested ill.

Sunday 17, He rose, his Strength being apparently encreased. The Catheter was tried, and then the Candle: But Neither could pass, there proving to be an Obstruction in the Part, attended with great Soreness.

Thus far the Journal. And, indeed, at the Solicitations of the Physicians, I twice attempted to pass the Catheter; but, through some occasional Stop in the Passage,

fage, and that fo necessary Caution of not applying Force, without Success. These ineffectual Esfays determined me to call Mr. Cheselden to my Assistance; who fucceeded, as it happen'd, no better than myself. The Instrument, indeed, penetrated farther than before; but not without Pain, though little or no Force was used. What put them on preffing fo much this Operation, was to draw from the Bladder the grumous Blood, and thereby restore that Vessel to its former Tone; though at this Time the Urine, impregnated with this grumous Matter, rather exceeded in Quantity all he drank; wetting  $\mathbf{F}$ 

four or five and thirty Napkins every twenty four Hours.

IT is observable, that, from the opening to the clofing this melancholy Scene, there ever fubfifted an infatiable Thirst, with a dry and brownish Tongue: Which at the Expiration of about a Fortnight began to grow clearer, and remain'd fo for a few Days; the Roughness of the Tongue nevertheless, and Thirst, no ways abated. The Pulse would alter several Times in the Space of half an Hour; and yet the Physicians in the mean while entertain'd fome Hopes of his Recovery: fo far were they from apprehending his Diffolution to be fo near at hand. From the Day he voided that Number of Stones,

Stones, and Quantity of Blood, he could never retain his Urine: Which was, for the first Month, loaded with grumous Blood, ouzing out with it in a constant Dripping. In proportion to the Decrease of this Coagulum, (which was continually dissolving by the Urine) the Pain from the Neck of the Bladder to the End of the Penis, was more frequent; as was likewise a Symptomatic Colic, which he from first to last complain'd of in the Neighbourhood of the Os Pubis.

FROM the twenty-first of February to the fixteenth or seventeenth of March, being within a Day or two of his Death, among other Medicines (which were all of

F 2

a foft, lubricating Nature) he every Night took a Draught with half an Ounce of Diacodium in it, and thrice in that Time some additional Drops of Laudanum: His Diet being Asses-Milk, Chicken-Broth, Small-Beer, and now and then a Glass of Wine and Water.

SEVERAL Attempts were made to lay afide his composing Draught, but in vain. For his Nights were so restless, and such an Uneasiness prevail'd through his whole Frame, that there was an absolute Necessity of recurring to it before Morning. The Tongue began now to grow browner and browner, with deep Chops in it; which, in effect, had all along been generally of the

Colour of a Nutmeg, and rough to a great Excess.

خارب جرمه براي المراجع والمراجع والمراجع والمراجع

ABOUT a Week before he expired, he was seized with a colliquative Diarrhæa; which, being beyond the Power of Astringents, or Opiates, to remedy, contributed, no doubt, to put a more immediate Period to his tedious, and, at Times, most intense Pains.

Thus died the EARL of OR-FORD; who in private Life had few Equals, in publick, perhaps, no Superiors.

N opening the Right Honourable the Earl of Orford, there occurr'd the following Appearances. The Contents of the lower Belly were all, except the Bladder, in a natural State. This Vessel had expanded itself above the Os Pubis at least four Inches: On cutting into its Cavity there iffued a Quantity of Urine, with three large Clots of coagulated Blood; which no doubt had lain there for fome Time. On feparating the Bladder from the Parts with which it was connected, and dividing it from the Neck to the Bottom, feveral inflamed Spots were observable; with an Inflammation quite round the Neck about the Breadth of two Inches, and a LodgLodgment in the Membrane of feveral fmall Stones, about the Size of half a Grain of Wheat. Its Substance was of a very unequal Texture, innumerable Ridges as thick as the eighth of an Inch, and many of them much larger, running a-cross one another thro' the whole Capacity of it; while the Spaces between those Ridges were as remarkably thin, and transparent. The Proftate Glands were enlarged, and become harder than they commonly are. No Defect was discoverable in the Kidneys, nor Ureters: Though the Pelvis was larger then usual.

E. Hulfe,
J. Ranby,
W. Chefelden.

## An Explanation of the P L A T E.

- A. The Stone extracted from the *Urethra* near the *Glans*.
- B. Two leffer Stones, that came away at the same Time, with another Piece, which is lost.
- C. Nine of the eleven Stones voided afterwards, the other two being loft.
- D. Two Fragments discharged fome Time after.
- E. The next Parcel, that came a-way: in which,
  1. The Nucleus.

F. The

was be surrounded in

- F. The Stones, in which the Cement was loofen'd, but not quite separated.
- G. Stones lodged in the inflamed Part of the Membrane at the Neck of the Bladder, with two or three more, which are loft. the country of a removed on the

**G** ....

mental are object der alde

THE following was sketch'd out by his Lordship's Physician in the Country, in order to its being communicated to his Physicians in Town

August 9, 1744.

Y Lord Orford, riding in a Coach five or fix Miles in the Forenoon, made bloody Water. This increased, returning Home a longer way by two Miles; but, after Dinner and Rest, ceased intirely, by degrees, before Night.

NEXT Morning (after a tole-rable easy Night, but a frequent Frovocation to make Water) there was found a good deal of small Gravel in the Pot.

August

August 11. Going to Halkham (about seven Miles) he began to make bloody Water (very deep colour'd) the first two Miles, and again sive times before his Lordship got thither. The same, returning Home in the Evening. Had a pretty good Night, but with frequent Micturition: And in the Morning, in an amber-colour'd Urine was found much Gravel; with a String (his Lordship called it) of grumous Blood, in which some Gravel was inveloped.

ALL this bloody Water his Lordship ascribed to drinking much Marsh-mallow Tea of late, and the Frequency of making Water to a G 2 Weakness Weakness in the Sphinster of the urinary Bladder, the natural Confequence of a declining Age, or a paralytick Disorder in those Parts: and the rather, by reason he has sometimes found a Numbness in one of his Hands.

But, it is to be observed, that after making bloody Water there has constantly been self the same kind of Stimulus upon the Sphineter Ani; and (in some Degree) as his Lordship used to seel of old, when a Stone was ready to be voided from the Bladder; and that after the bloody Water, and the common and constant Consequence of its the voiding of Gravel (mixed or unmixed with grumous Blood) ceafed,

ed, that Irritation ceased likewise: so that Gravel lodged about the Neck of the Bladder seems to be the undoubted Cause of all this bloody Water, which the Motion of Road-riding brought into Action (perhaps assisted by the Mallows Tea.) Not so, the same Motion along the green Turf of the Park.

Now, if the Cause of frequent Micturition was a Weakness of the Muscular Fibres of the Bladder, (a certain Concomitant of decrepit Age) the Disease, as the Cause, would be continual, and there would be a constant Dribbling of Urine. Whereas, 'tis plain, that that Frequency is more or less from from the greater or lesser Quantity, or the Size, or Situation of the Gravel irritating, from this remarkable Observation, viz. About ten Days ago, after taking the Manna and Cream of Tartar, his Lordship lay quiet and easy five Hours that Night; a Time twice as long as any he had had since he came into the Country.

His Lordship will make mention of his making bloody Water, upon taking a Journey to Woolterton (about twenty Miles) September 14. and of a Frequency of it almost every half Hour. Yet, after drinking Bristol Water, eating a good Dinner, and drinking Marshmallow

mallow Tea towards the Evening, a quiet Night ensued.

I NEED not add, That on Monday, October 29, His Lordship took the Manna and Cream of Tartar; on Tuesday Evening made bloody Urine without going abroad: but then on Wednesday the thirty-first voided a small hard Stone, no bigger than a Pin's Head, and after that was easy.

G. HEPBURN.

The END.

BOOKS Printed for JOHN and PAUL KNAPTON, in Ludgate-street.

HE Method of Treating Gunshot Wounds: By John Ranby, Principal Serjeant Surgeon to his Majesty, and F. R. S. Price 1 s. 6 d.

The Commentaries upon the Aphorisms: of Dr. HERMAN BOERHAAVE, the late Learned Professor in the University of LEYDEN, concerning the Knowledge and Cure of the feveral Diseases, incident to Human Bodies: By GERARD VAN-SWIETEN, M. D. Principal Physician to the Queen of Hungary. Translated into English, in four Volumes Octavo, containing all that relates to Surgery in this Work; with a Description of many Chirurgical Operations, and the proper Instruments for the Treatment and Cure of the feveral Diforders, engraved on Seventeen Copper Plates. To which is added a General Index to the four Volumes.

COUNTWAY LIBRARY OF MEDICINE RD

581 R15

Copy 2

RARE BOOKS DEPARTMENT













